ATTACHMENT III
Exhibit 8

8-1. Adams, J.D., K.J. O'Mara-Adams and D. Hoffmann. Toxic and carcinogenic agents in undiluted mainstream smoke and sidestream smoke of different types of cigarettes. Carcinogenesis 8(5):729-731, 1987.

8-2. Ashstrom, B. Berglund, U. Berglund and T. Lindvall. Odor Interaction Between Formaldehyde and the Indoor Air of a "Sick Building." In: Indoor Air, Vol. 3, Sensory and Hyperreactivity Reactions to Sick Buildings, B. Berglund, T. Lindvall and J. Sundell, eds., Swedish Council for Building Research, Stockholm, Sweden, pp. 461-466, 1984.

8-3. "Air Contaminants; Final Rule." Federal Register, Thurday January 19, 1989, Vol. 54, No. 12, pp. 2332-2983.

8-4. Akiba, S., H. Kato and W.J. Blot. Passive Smoking and Lung Cancer among Japanese Women. Cancer Research 46:4804-4807, 1986.

8-5. [Reserved]

8-6. Amankwah, K.S., R.C. Kaufmann and A.D. Weberg. Ultrastructural Changes in Neonatal Sciatic Nerve Tissue: Effects of Passive Maternal Smoking. Gynecol. Obstet. Invest. 20:186-193, 1985.

8-7. Garfinkel, L. and E. Silverberg. Lung Cancer and Smoking Trends in the United States over the Past 25 Years. Ca-A Cancer Journal for Clinicians 41(3):137-145, 1991.

8-8. American Thoracic Society. Lung Function Testing: Selection of Reference Values and Interpretative Strategies. Am. Rev. Respir. Dis. 144:1202-1218, 1991.

8-9. Anderson, E.W., R.J. Andelman, J.M. Strauch et al. Effect of Low-Level Carbon Monoxide Exposure on Onset and Duration of Angina Pectoris. A Study in Ten Patients with Ischemic Heart Disease. Ann. Int. Med. 79:46-50, 1973.

8-10. Andersen, I. Sick Buildings: Physical and Psychosocial Features, Effects on Humans and Preventive Measures. In: Indoor Air, 6, Evaluations and Conclusions for Health Sciences and Technology. pp. 77-81, 1984.

2029251858

Source: https://www.industrydocuments.ucsf.edu/docs/xrdl0000

ATTACHMENT III
Exhibit 8

8-11. Andersen, M.E., H.J. Clewell et al. Physiologically Based Pharmacokinetic Models with Dichloromethane, Its Metabolite, Carbon Monoxide, and Blood Carboxyhemoglobin in Rats and Humans. Toxicology and Applied Pharmacology 108(1):14-27, 1991.

8-12. Aronow, W.S. Effect of Cigarette Smoking and of Carbon Monoxide on Coronary Heart Disease. Chest 70(4):514-518, 1976.

8-13. Aronow, W.S. Effect of Passive Smoking and Angina Pectoris. NEJM 299(1):21-24, 1978.

8-14. Aronow, W.S. and M.W. Isbell. Carbon Monoxide Effect on Exercise-Induced Angina Pectoris. Ann. Int. Med. 79:392-395, 1973.

8-15. Aronow, W.S., J.Cassidy, J.S. Vangrow et al. Effect of Cigarette Smoking and Breathing Carbon Monoxide on Cardiovascular Hemodynamics in Anginal Patients. Circulation 50:340-347, 1974.

8-16. Aronow, W.S. Effect of Passive Smoking on Agina Pectoris. NEJM 299(1):21-24, 1978.

8-17. Aronow, W.S. Aggravation of angina pectoris by two percent carboxyhemoglobin. Am. Heart J. 101:154-157, 1981.

8-18. Asano, M., C. Ohkubo et al. Some Physiological Responses to Acute Passive Smoking in Healthy Young Adults. Tokai J. Exp. Clin. Med. 10(4):355-362, 1985.

8-19. Auerbach, O., E.C. Hammond, D. Kirman and L. Garfinkel. II. Pulmonary Neoplasms. Arch. Environ. Health 21:754-768, 1970.

8-20. Bach, B., L. Mølhave and O.F. Pedersen. Human Reactions During Controlled Exposures to Low Concentrations of Organic Gases and Vapours Known as Normal Indoor Air Pollutants Performance Tests. In: Indoor Air, Vol. 3, Sensory and Hyperreactivity Reactions to Sick Buildings, B. Berglund, T. Lindvall, and J. Sundell, eds., Swedish Council for Building Research, Stockholm, Sweden, pp. 397-402, 1984.

2029251859

Source: https://www.industrydocuments.ucsf.edu/docs/xrdl0000

ATTACHMENT III
Exhibit 8

B-21. Basrur, P.K., S. McClure and B. Zilkey. A Comparison of Short Term Bioassay Results with Carcinogenicity of Experimental Cigarettes. In: Prevention and Detection of Cancer, Part 1. Prevention, Vol. 2. Etiology & Prevention Methods. H.E. Nieburgs, ed., (Marcel Dekker, Inc.: New York), pp. 2041-2048, 1978.

B-22. Benedict, W.F., N. Rucker, J. Faust and R.E. Kouri. Malignant Transformation of Mouse Cells by Cigarette Smoke Condensate. Cancer Research 35:857-860, 1975.

B-23. Benowitz, N.L. and P. Jacob. Daily intake of nicotine during cigarette smoking. Clin. Pharmacol. Ther. 35(4):499-504, 1984.

B-24. Benowitz, N.L. and P. Jacob. Nicotine and cotinine elimination pharmacokinetics in smokers and nonsmokers. Clinical Pharmacology and Therapeutics 53(3):316-323, 1993.

A. Benowitz, N.L. and P. Jacob. Nicotine and carbon monoxide intake from high- and low-yield cigarettes. Clin. Pharmacol. Ther. 36(2):265-270, 1984.

B-25. Benowitz, N.L. Nicotine and Coronary Heart Disease. TCM 1(8):315-321, 1991.

B-26. Benowitz, N.L., P. Jacob, R.T. Jones and J. Rosenberg. Interindividual Variability in the Metabolism and Cardiovascular Effects of Nicotine in Man. J. Pharm. Exp. Ther. 221(2):368-372, 1982.

L 10919 A01

B-27. Benowitz, N.L., F. Kuyt, P. Jacob et al. Cotinine disposition and effects. Clin. Pharmacol. Ther. 34:604-611, 1983.

B-28. Benowitz, N.L., P. Jacob, C. Denaro and R. Jenkins. Stable isotope studies of nicotine kinetics and bioavailability. Clin. Pharmacol. Ther. 49(3):270-277, 1991.

B-29. Benowitz, N.L. and P. Jacob. Nicotine and cotinine elimination pharmacokinetics in smokers and nonsmokers. Clin. Pharmacol. Ther. 53(3):316-323, 1993.

L 1711 A01

B-30. Bernfeld, P., F. Homburger and A.B. Russfield. Strain Differences in the Response of Inbred Syrian Hamsters to Cigarette Smoke Inhalation. JNCI 53(4):1141-1157, 1974.

2029251860

Source: https://www.industrydocuments.ucsf.edu/docs/xrdl0000

ATTACHMENT III
Exhibit 8

8-31. Bernfeld, P., F. Homburger, E. Soto and K.J. Pal. Cigarette Smoke Inhalation Studies in Inbred Syrian Golden Hamsters. JNCI 63(3):675-659, 1979.

8-32. Breysse, P.A. The Office Environment - How Dangerous? In: Indoor Air, Vol. 3, Sensory and Hyperreactivity Reactions to Sick Buildings, B. Berglund, T. Lindvall, and J. Sundell, eds., Swedish Council for Building Research, Stockholm, Sweden, pp. 315-320, 1984.

8-33. Brooks, B.O., G.M. Utter, J.A. DeBroy and R.D. Schimke. Indoor Air Pollution: An Edifice Complex. Clinical Toxicology 29(3):315-374, 1991.

8-34. [Reserved]

8-35. Brownson, R.C., J.S. Reif, T.J. Keefe et al. Risk Factors for Adenocarcinoma of the Lung. Am. J. Epidemiol. 125(1):25-34, 1987.

8-36. Brownson, R.C., M.C.R. Alavanja, E.T. Hock and T.S. Loy. Passive Smoking and Lung Cancer in Nonsmoking Women. AJPH 82(11):1525-1530, 1992.

8-37. Brunekreef, B., P. Fischer, B. Remijn et al. Indoor Air Pollution and its Effect on Pulmonary Function of Adult Non-Smoking Women: III. Passive Smoking and Pulmonary Function. International Journal of Epidemiology 14(2):227-230, 1985.

8-38. Buffler, P.A., L.W. Pickle, T.J. Mason and C. Contant. The Causes of Lung Cancer in Texas. In: Lung Cancer: Causes and Prevention, M. Mizell and P. Correa, eds. (Verlag Chemie International), pp. 83-99, 1984.

8-39. BLS. Industry and Occupation Tables. Table 6. Employed Persons by Detailed Industry and Major Occupation. December 1993.

8-40. Burghuber, O.C., Ch. Punzengruber, et al. Platelet Sensitivity to Prostacyclin in Smokers and Non-Smokers. Chest 90(1):34-38, 1986.

8-41. Burge, H.A. and M. Hodgson. Health risks of indoor pollutants. ASHRAE Journal 30(7):34-36, 1988.

8-42. Burge, H.A. and M.E. Hoyer. Indoor Air Quality. Appl. Occup. Environ. Hyg. 5(2):84-93, 1990.

2029251861

Source: https://www.industrydocuments.ucsf.edu/docs/xrdl0000

ATTACHMENT III
Exhibit 8

8-55. Claxton, L.D., R.S. Morin, T.J. Hughes and J. Lewtas. A genotoxic assessment of environmental tobacco smoke using bacterial bioassays. Mutation Research 222:81-99, 1989.

8-56. Clewell H.J. Coupling of computer modeling with in vitro methodologies to reduce animal usage in toxicity testing. Toxicology Letters 68:101-117, 1993..

8-57. Clewell, H.J. and M.E. Andersen. Dose, Species, and Route Extrapolation Using Physiologically Based Pharmacokinetic Models. In: Pharmacokinetics in Risk Assessment: Drinking Water and Health, (National Academy Press: Washington, DC), pp. 159-181, 1987.

8-58. Coggins, C.R.E., X.L.M. Fouillet, R. Lam and K.T. Morgan. Cigarette Smoke Induced Pathology of the Rat Respiratory Tract: A Comparison of the Effects of the Particulate and Vapour Phases. Toxicology 16:83-101, 1980.

8-59. Coggins, C.R.E., P.H. Ayres et al. Fourteen-Day Inhalation Study in Rats, Using Aged and Diluted Sidestream Smoke from a Reference Cigarette. Fundamental and Applied Toxicology 19:133-140, 1992.

8-60. Coggins, C.R.E., P.H. Ayres et al. Subchronic Inhalation Study in Rats Using Aged and Diluted Sidestream Smoke from a Reference Cigarette. Inhalation Toxicology 5:77-96, 1993.

8-61. Coghlin, J., S.K. Hammond and P.H. Gann. Development of Epidemiologic Tools for Measuring Environmental Tobacco Smoke Exposure. American Journal of Epidemiology 130(4):696-704, 1989.

8-62. Comstock, G.W., M.B. Meyer, K.J. Helsing and M.S. Tockman. Respiratory Effects of Household Exposures to Tobacco Smoke and Gas Cooking. Am. Rev. Respir. Dis. 124:143-148, 1981.

8-63. The Condensed Chemical Dictionary, 9th edition, G.G. Hawley, (Van Nostrand Reinhold Company: New York), pp. 204, 735, 740; 1977.

8-64. Asbestos Task Order for Construction Alternatives. Final Report. CONSAD Research Corporation and Clayton Environmental Consultants, Inc., May 25, 1984.

8-65. Correa, P., E. Fontham et al. Passive Smoking and Lung Cancer. Lancet

2029251862

Source: https://www.industrydocuments.ucsf.edu/docs/xrdl0000

ATTACHMENT III
Exhibit 8

8-43. Burge, P.S., M. Finnegan, N. Horsfield et al. Occupational asthma in a factory with a contaminated humidifier. Thorax 40:248-254, 1985.

8-44. Burge, S., A. Hedge, S. Wilson et al: Sick Building - Syndrome: A Study of 4373 Office Workers. Ann. Occup. Hyg. 31(4A):493-504, 1987.

8-45. Burns, A.R., S.P. Bosford, et al. Respiratory epithelial permeability after cigarette smoke exposure in guinea pigs. J. Appl. Physiol. 66(5):2109-2116, 1989.

8-46. Burrows, B., M.d. Lebowitz, A.E. Camilli and R.J. Knudson. Longitudinal Changes in Forced Expiratory Volume in One Second in Adults. Am. Rev. Respir. Dis. 133:974-980, 1986.

8-47. Bulter, T.L. The Relationship of Passive Smoking to Various Health Outcomes among Seventh-day Adventists in California. University of California, Los Angeles, 1988.

8-48. Byrd, G.D., K. Chang, J.M. Greene and J.D. deBethizy. Evidence for Urinary Excretion of Glucuronide Conjugates of Nicotine, Cotinine, and Trans-3'-Hydroxycotinine in Smokers. Drug Metabolism and Disposition 20(2):192-197, 1992.

8-49. Castro, A. and N. Monji. Dietary Nicotine and Its Significance in Studies on Tobacco Smoking. Biomedical Archives 2:91-97, 1986.

8-50. CDC-1993. Preliminary Data: Exposure of Persons Aged ≥4 Years to Tobacco Smoke--United States, 1988-1991. MMWR 42(2):37-39, 1993.

8-51. Centers for Disease Control and Prevention (CDCP). Survey supplament collected self-reported informaiton on smoking from a representative sample of the U.S. population.

8-52. Chan, W.C. and S.C. Fung. Lung Cancer in Non-Smokers in Hong Kong. Cancer Campaign 6:199-202,. 1982.

8-53. Chen, Y., W. Li and S. Yu. Influence of passive smoking on admissions for respiratory illness in early childhood. British Medical Journal 293:303-306, 1986.

8-54. Chortyk, O.T. and W.S. Schlotzhauer. The Contribution of Low Tar Cigarettes to Environmental Tobacco Smoke. Journal of Analytical Toxicology 13:129-134., 1989.

2029251863

Source: https://www.industrydocuments.ucsf.edu/docs/xrdl0000